

LEDinspect FLEXIBLE HEAD TORCH



Flexible Head Band

Soft padding and additional adjustable strap for optimal wearing comfort




Up to 115 Lumen

Three light functions: Up to 115 lm (high, up to 50 lm (low) and a red flashing function at the rear



Approx. 1.5 hours charging time

With a charging time of only approx. 1.5 hours, this OSRAM lamp is quickly ready for use again



Гарантия OSRAM – 2 года*

Система управления качеством лежит в основе высоких функциональных характеристик и надежности наших продуктов. Инновационные технологии и безупречное исполнение - то, что безусловно получают наши клиенты.

Данные о продуктовой линейке



Свет универсален

This high-quality flexible head torch from OSRAM is perfect for professional and private use. With three light functions - high up to 115lm, low up to 50lm and a red flashing function at the rear, this head torch offers different setting options for a variety of tasks. The illumination integrated directly into the individual adjustable headband enables a wide and even distribution of light and can provide better illumination of the working area. The rechargeable battery allows up to 4.5h of operation at high power or up to 5.5h at low power and with a charging time of only approx. 1.5 hours, this OSRAM lamp is also quickly ready for use again. An USB Micro B charging cable to recharge the lithium battery is included in the scope of supply. In accordance with IP 42 protection rating, this head torch has protection against ingress of dust particles and against splashing water. The LEDinspect Flexible Head Torch has soft pads inside and additionally an adjustable strap for optimal wearing comfort. With a weight of only 62g and the flexible, foldable design, the product is easy to store and transport, making it ideal as a light for craft work, car repairs and everyday use. OSRAM also provides a 2-year guarantee**For precise conditions please refer to: www.osram.com/am-guarantee

Данные о продуктовой линейке

Technical data

Описание продукта	Информация о продукте	General Product Information	Электрические параметры	
	Применение (категория и специфика)	Номер заказа	Номинальное напряжение	Номинальная мощность
INSPECTION LAMP	LED inspection lights	LEDIL414	3.7	3

Описание продукта	Фотометрические данные			Physical Attributes & Dimensions
	Цветность светодиода	Световой поток	Цветовая температура	Высота
INSPECTION LAMP	белый	115	6000	25.0

Описание продукта	Ширина	Длина	Вес продукта	Информация о светодиодном модуле
				Количество светодиодов в модуле
INSPECTION LAMP	25.0	245.0	62.00	1

Описание продукта	Цвета и материалы	Срок службы	Дополнительные данные	
	Цвет цоколя	Гарантия	Количество содержащихся батареек	Тип батареи
INSPECTION LAMP	Black / Orange	2 years	1	Rechargeable

Описание продукта	Возможности / мощности	Условия поставки	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Технология	Вт-ч на батарею [MPRD]	Date of Declaration	Candidate List Substance 1
INSPECTION LAMP	LED	3.70	19-08-2024	Lead

Описание продукта	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
INSPECTION LAMP	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3ee5100c-84cd-4784-ba6a-aabf9f12ebcb

Данные о продуктовой линейке

Соответствие стандартам

Application advice: For more detailed application information and graphics please see product datasheet and the user instruction.* Условия предоставления гарантии приведены на сайте

www.osram.ru/am-guarantee

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.