OSRAM

TYREinflate 6000

TYREinflate 6000 OTIR 6000





Быстрое время накачки шин Inflate the tyre to the desired pressure in approximately 2 minutes 1)2)



Deflator ValveFor deflating too much air



Digital Auto Stop
Automatic stop function
when the preset pressure is
reached



Cordless and rechargeable
Can be used with or without
direct power supply



Rechargeable Digital Tyre Inflator and Air Pump

The OSRAM TYREinflate 6000 is a cordless and rechargeable tyre inflator with Li-Ion battery, making it an ideal companion for camping and road trips. The OTIR 6000 digital tyre inflator can inflate a tyre in just two minutes1)2) and has a special setting for other inflatable items such as air beds, air mattresses, balls and more. The auto stop function and the deflator valve help to keep the tyres and other inflatables optimally inflated. . The backlit LED display and integrated LED light provide improved readability of the pressure settings and improved illumination of the working area even in reduced visibility conditions or at night. Thanks to the powerbank function, the OSRAM TYREinflate 6000 can also be used as a charger for electronic devices such as your mobile phone. The scope of delivery includes a mains charger and a 12-volt cable for direct power supply, if required. Also included is a 10-piece adapter set, a storage bag and spare valve caps. OSRAM offers a 2-year guarantee1) on this product. 1) For precise conditions please refer to: www.osram.com/amguarantee2) Based on inflating a 13" tyre from flat to 2.4 BAR 3) Measurements of the tyre pressure and inflation of the tyres to the optimum tyre pressure must always be conducted on cold tyres

Technical data

| | Информация о продукте | | | | |
|-------------------|---|---|----------------------------------|--|--|
| Описание продукта | Дефлятор | Светодиодная подсветка | Предустановленны е функции | Автоматическая остановка | |
| TYRE inflate 6000 | Да | Да | Да | Да | |
| | | General Product Information | Электрические параметры | Physical Attributes & Dimensions | |
| Описание продукта | Чехол для хранения | Номер заказа | Номинальное напряжение | Длина | |
| TYRE inflate 6000 | Да | OTIR6000 | 12.0 | 298.0 | |
| | | | Температуры и условия управления | Дополнительные данные | |
| Описание продукта | Ширина | Высота | Уровень шума (дБ) | Тип дисплея | |
| TYRE inflate 6000 | 298.0 | 80.0 | 90 | Digital | |
| | | | Возможности / мощности | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | |
| Описание продукта | USB -разъем 2,1 A (для гаджетов) | Дополнительно | Предохранитель | Date of Declaration | |
| TYRE inflate 6000 | Да | 10-piece adaptor kit & 4 x spare valve caps, 1 x spare fuse & 1 pair of gloves | 15 | 26-06-2024 | |

| Описание продукта | Candidate List Substance 1 | CAS No. of substance 1 | Safe Use Instruction | Declaration No. in SCIP database |
|-------------------|-------------------------------|---------------------------|--|--|
| TYRE inflate 6000 | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 3abae9a3-29bd- 403e-915c- caab5002583a |

Загрузка данных

Файл



User instruction

TYREinflate OTIR6000 Rechargeable Digital Tyre Inflator and Air Pump

Соответствие стандартам

- 1) For precise conditions please refer to: www.osram.com/am-guarantee
- 2) Based on inflating a 13" tyre from flat to 2.41 BAR
- 3) Measurements of the tyre pressure and inflation of the tyres to the optimum tyre pressure must always be conducted on cold tyresApplication advice:For more detailed application information and graphics please see product datasheet and the user instruction.

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.