

HMI 12000 W/SE XS

HMI Single-End Lamps (other) | Metal halide lamps, single-ended



Product datasheet

Technical data


Electrical data

Nominal voltage	160 V
Nominal current	8400 A
Lamp voltage	160 V
Nominal wattage	12000.00 W

Photometrical data

Nominal luminous flux	1150000 lm
Color temperature	6000 K
Color rendering index Ra	90

Dimensions & weight



Diameter	100.0 mm
Length	455.0 mm
Light center length (LCL)	255.0 mm

Lifespan

Lifespan	500 h
----------	-------

Additional product data

Base (standard designation)	GX38
-----------------------------	------

Capabilities

Burning position	Other
------------------	-------

Certificates & standards

EEL – Energy Label	B
--------------------	---

Product datasheet


Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300650418 4008321128157
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	f7e3f861-5da1-4d96-b2d1-f709c6ebfe08

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300650418	OSRHMI12000SE	-	-	-

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300650418	HMI 12000 W/SE XS	Shipping carton box 1	323 mm x 594 mm x 240 mm	46.05 dm ³	2916.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.