# **OSRAM**

# TRUCKSTAR LED H7

OSRAM's first TRUCKSTAR H7 LED for 24-volt vehicles





Street-Legal1)

The TRUCKSTAR LED -OSRAM's first street-legal1) LED retrofit lamps for 24V Vehicles.



# Up to 230% more brightness2) & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



#### **Heavy Duty Application**

Specially developed vibration-resistant design, engineered for the 24V and "heavy duty" range for an up to 5 times longer lifetime3)



#### 4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

### Product family datasheet



# With the TRUCKSTAR H7 LED, OSRAM's first street-legal1) H7 LED retrofit lamp for 24V vehicles is now on the market.

For truck drivers, fleet managers and freight forwarders. For trucks, special vehicles, buses, and towing vehicles. For nearly everyone in the "heavy duty" sector and beyond. With the street-legal1) TRUCKSTAR H7-LED for 24V Vehicles you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2). In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 75% less energy and convince thanks to the LED technology and the especially developed and vibrationresistant design, engineered for the 24V and "heavy duty" range, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all TRUCKSTAR LED retrofit lamps4)

# Product family datasheet

## Technical data

	Product information							
Product description	Application (Category and Product specific)	Product legal advice 1		Product legal advice 2		Product legal advice 3		
TRUCKSTAR H7 LED	High and low beam	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led		2) In comparison to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%		3) In comparison to traditional Halogen lamps		
General Product Electrical Data Information								
Product description	Global order reference	Power Test Power Nominal wa input voltage input toleranc e		attage	je Nominal voltage			
TRUCKSTAR H7 LED	64215DWTS	16.0 W	28.0 V	±10 %	16 W		24.	0 V
	Photometric Data							Physical Attribut es & Dimensi ons
Product description	Color temperature	Nominal luminous flux		Luminous flux tolerance		Light color LED		Product weight
TRUCKSTAR H7 LED	6000 K	1500 lm		±10 %		Cool white 60.00 g		
				Lifetime Data		Capabilities		abilities
Product description	Length	Lamp base		Lifespan Tc		Lifespan B3	Technology	
TRUCKSTAR H7 LED	77.9 mm	PX26d		2500 hr		1500 hr	O hr LED	
	Certificates & standards	Environmental & Regul Information according (REACh)		latory Information Art. 33 of EU Regulation (I		(EC) 1907/2	006	
Product description	Standards	Date of declaration		Primary article identifier		Declaration no. in SCIP database		
TRUCKSTAR H7 LED	ABG	16-08-2024		4062172384919		In work		

# Product family datasheet

#### **Download Data**

	File
Z	User instruction TRUCKSTAR LED H7 LED 24V 64215DWTS
太	Brochures LEDriving Retrofits - Exchange overview (EN)
乙	Brochures TRUCKSTAR LED Compatibility List Trucks (EN)

### Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

#### Legal advice

- 1) Approved LED light source only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led
- 2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

•