OSRAM

TRUCKSTAR LED H7

OSRAM's first TRUCKSTAR H7 LED for 24-volt vehicles





Street-Legal1)

The TRUCKSTAR LED -OSRAM's first street-legal1) LED retrofit lamps for 24V Vehicles.



Up to 230% more brightness2) & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Heavy Duty Application

Specially developed vibration-resistant design, engineered for the 24V and "heavy duty" range for an up to 5 times longer lifetime3)



4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Product family datasheet



With the TRUCKSTAR H7 LED, OSRAM's first street-legal1) H7 LED retrofit lamp for 24V vehicles is now on the market.

For truck drivers, fleet managers and freight forwarders. For trucks, special vehicles, buses, and towing vehicles. For nearly everyone in the "heavy duty" sector and beyond. With the street-legal1) TRUCKSTAR H7-LED for 24V Vehicles you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2). In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 75% less energy and convince thanks to the LED technology and the especially developed and vibrationresistant design, engineered for the 24V and "heavy duty" range, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all TRUCKSTAR LED retrofit lamps4)

Product family datasheet

Technical data

	Product info	mation								
Product description	Order reference	••				ice Product legal advice 2			e Product legal advice 3	
TRUCKSTAR H7 LED	64215DWT S	3			1)Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led		the minimum requirements of E R112, while the glis below the maximum permissible values up to 50%		compariso CE to Lare traditional Halogen lamps	
	Electrical dat	a					Photome	etrical	l data	
Product description	Nominal volt	age	Power input	Nomina wattage		Test voltage	Light col	lor	Luminous flux tolerance	
TRUCKSTAR H7 LED	24.0 V		16.0 W	16.00 V	v ±10 %	28.0 V	Cool whi	ite	±10 %	
			Dime	nsions &	weight	Lifespan			ditional duct data	
Product description	Luminous flux	Color temper- ature	Leng	th	Product weight	Lifespan B3	Lifespan Tc	١,	e Indard ignation)	
TRUCKSTAR H7 LED	1500 lm	6000 K	77.9	mm	60.00 g	1500 h	2500 h	PX2	26d	
	Certificates & standard		dards	Information accord						
Product description	Technology	Standar	Standards		Date of Declaration		Primary Article Identifier			
TRUCKSTAR H7 LED	LED	ABG			22-01-2024		4062172384919			

Product description	Declaration No. in SCIP database
TRUCKSTAR H7 LED	In work

Product family datasheet

Download Data

	File
7	User instruction TRUCKSTAR LED H7 LED 24V 64215DWTS
龙	Brochures TRUCKSTAR LED Compatibility List Trucks (EN)
Z	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

- 1) Approved LED light source only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led
- 2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%
- 3) In comparison to traditional Halogen lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

•