## **OSRAM**

# NIGHT BREAKER LED W5W

OSRAM's first NIGHT BREAKER W5W LED for use in all1) 12V vehicle models behind white glass





## Universal Polarity & Plug and Play

Installation independent of polarity possible. Quick and easy upgrade to LED technology with plug & play solution



Up to 5 times longer lifetime3)

Environmentally friendly and cost-efficient



### 4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Street-Legal1

The NIGHT BREAKER LED W5W - OSRAM's first LED retrofit lamp approved for all1) 12V vehicles in white light applications.

### Product family datasheet



## An innovation and revolution from OSRAM in the field of technology and design.

With the NIGHT BREAKER W5W-LED, OSRAM's first street legal1) W5W-LED replacement lamp is now on the market, which is approved for use in all1) 12V vehicle models behind white glass as a parking light, position light, marker light, license plate light and interior light. This is the first lamp from OSRAM does not require to compare and match the headlamp approval number with a compatibility list. In combination with the NIGHT BREAKER H7-LED, H4-LED or H1-LED you can now get the full LED upgrade for your vehicle with perfectly tailored and designed LED lamps - for exterior and interior applications. These LED replacement lamps are suitable as a replacement for conventional W5W lamps and bases. They offer a modern and intense white light with a color temperature up to 5700 Kelvin and a light output of up to 50 lm. In comparison to standard lamps, these LED retrofit lamps consume up to 80% less energy. With the plug & play solution and the universal polarity they can be installed quickly and easily and regardless of polarity. You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness. Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps2)In the very unlikely event of a failure message on your vehicle's dashboard, OSRAM also has also developed a solution for the NIGHT BREAKER LED W5W - the LEDriving Canbus Control Unit LED CCU01.Only the combination of OSRAM LED lamps in conjunction with the official OSRAM accessories - LEDriving ADAPTER, LEDriving SMART CANBUS, LEDriving CAPs and LEDriving ERROR CANCELER is approved for the operation of our LED lamps. Details, in particular on the combination of OSRAM accessories and the street-legal1) NIGHT BREAKER LED and TRUCKSTAR LED lamps, can be found on the respective product pages under: NIGHT BREAKER LED Kompatibilitätslisten | Automotive (osram.de).

## Product family datasheet

## Technical data

|                       | Product informat  | Product information                       |  |        |   |                          |         |                                  | General Product<br>Information |  |
|-----------------------|---|---|--|--------|---|--------------------------|---------|----------------------------------|--------------------------------|--|
| Product description   | Product legal ad  |   | Product legal advice<br>2  |        | Application (Category and Product specific) |                          |         | Global order reference           |                                |  |
| NIGHT BREAKER W5W LED | 1) Approved LED light source - on applies to the respective count in which there is approval or to w an equivalent approval applies the vehicle mode and light functio currently listed i compatibility list more details see www.osram.com led | tries s which s and els ons in the t. For | 2) For precise conditions please refer to: www.osram.com/amguarantee |        | Position light,<br>Interior light           |                          |         | 2825DWNB                         |                                |  |
|                       | Electrical Data   |   |  |        |   |                          |         |                                  | Photometric<br>Data            |  |
| Product description   | Nominal voltage   | 2   | Nominal wattage  |        | Power<br>input<br>toleranc<br>e             | nput voltage<br>coleranc |         | Power<br>input                   | Light color<br>LED             |  |
| NIGHT BREAKER W5W LED | 12.0 V  |   | 1 W  |        | ±25 %                                       | 13.2                     | V       | 1 W                              | Cool white                     |  |
|                       |   |   |  |        |   |                          | Physic  | al Attributes                    | & Dimensions                   |  |
| Product description   |   | Nominal<br>flux                           | luminous Color tempe   |        | emperature                                  | perature Diameter        |         | ter                              | Lamp<br>base                   |  |
| NIGHT BREAKER W5W LED | ±25 %   | ±25 % 50 lm                               |  | 5700 K |   |                          |         | ım                               | W2.1x9.<br>5d                  |  |
|                       |   |   |  |        |   | Lifetime Data            |         |                                  | Capabilities                   |  |
| Product description   | Length  |   | Product weight   |        | Lifespan T                                  | c                        |         | Lifespan<br>B3                   | Technology                     |  |
| NIGHT BREAKER W5W LED | 24.6 mm   |   | 1.70 g   |        | 3000 hr                                     |                          |         | 1500 hr                          | LED                            |  |
|                       | Certificates & standards  |   |  |        |   |                          |         | (EC) 1907/2                      | 006                            |  |
| Product description   | Standards   |   | Date of declaration  |        | Primary article identifier                  |                          |         | Declaration no. in SCIP database |                                |  |
| NIGHT BREAKER W5W LED | ABG   |   | 16-08-2024   |        | 4062172367448  <br>4062172367424            |                          | In work |                                  |                                |  |

## Product family datasheet

#### Download Data

#### File



User instruction
NIGHT BREAKER LED



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

### Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

### Legal advice

- 1) Approved LED light source applies to all vehicle models to specific light functions and further restrictions in the respective country. Must not be used behind red and/or yellow colored glass. For more details see www.osram.com/nb-led
- 2) In comparison to the minimum requirements of ECE R112
- 3) In comparison to traditional lamps
- 4) For precise conditions please refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.