# **OSRAM**

# LEDinspect WIRE-FREE PRO 600



#### Wire-Free charging compatible

Simply place on the Wire-Free charging pad to securely hold and recharge



#### 600 Lumens

Place bright, 5700k white light where you need it most



#### **Built to last**

IK08 and IP54 rated to survive the rigors of the professional workshop



#### The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

## Product datasheet

#### Technical data

## **Product information**

Order reference	LEDIL421	
Application (Category and Product specific)	LED inspection lights	


#### **Electrical data**


Nominal wattage	9.25 W	
Nominal voltage	3.7 V	

## Photometrical data

Color temperature	5700 K
Luminous flux	600 lm
Light color LED	White

## Dimensions & weight





Product weight	300.00 g
Length	204.0 mm
Width	55.0 mm
Height	45.0 mm

## Lifespan

## **Capabilities**

Technology	LED

## Certificates & standards

Standards CE/EMC/MSDS/ROHS	Standards	CE/EMC/MSDS/ROHS
----------------------------	-----------	------------------

## Product datasheet

## **Country specific categorizations**

Order reference	LEDIL421
-----------------	----------

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	26-06-2024	
Primary Article Identifier	4062172393126	
Candidate List Substance 1	Lead	
CAS No. of substance 1	7439-92-1	
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Declaration No. in SCIP database	26c8b24d-65fc-44be-938d-14097cb7f78a	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172393126	INSPECTION LAMP	Folding carton box 1	74 mm x 50 mm x 220 mm	0.81 dm <sup>3</sup>	710.00 g
4062172393133	INSPECTION LAMP	Shipping carton box 6	171 mm x 167 mm x 248 mm	7.08 dm <sup>3</sup>	7160.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

	File
<b>龙</b>	User instruction LEDinspect WIRE-FREE PRO 600

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

