### Product datasheet

# **OSRAM**

# Lamps with glass wedge bases -

Original spare part





#### The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

## Product datasheet

#### Technical data

#### **Product information**

Application (Category and Product specific)	Auxiliary lamp	
General Product Information		
Global order reference	2722	
Electrical Data		
Power input	2 W	
Nominal voltage	12.0 V	
Nominal wattage	2.00 W	
Test voltage	13.5 V	

# Nominal luminous flux12 lmLuminous flux tolerance±20 %

#### **Physical Attributes & Dimensions**

Diameter	5 mm
Product weight	0.40 g
Length	20.0 mm
Lamp base	W2x4.6d

#### Lifetime Data

Lifespan B3	1300 hr
Lifespan Tc	4000 hr

#### Capabilities

Technology	AUX

-

#### **Certificates & standards**

ECE category

#### Environmental & Regulatory Information

#### Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of declaration

09-07-2024

## Product datasheet

Primary article identifier	4052899407251   4008321032249   4008321094803   4050300925783		
Candidate list substance 1	No declarable substances contained		
Declaration no. in SCIP database	In work		

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094827	ORIGINAL - WEDGE BASE 2722		- x - x -	0.94 dm³	
4008321140333	ORIGINAL - WEDGE BASE 2722		- x - x -	1.13 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





o









